



rdi
RAILING®

ELEVATION® RAIL

ALUMINUM RAILING

Modern, industrial lines pair with breakthrough innovation to create stylish, unobstructed views that install with ease and speed.

Easy Install

Available in pre-assembled kits with pre-installed brackets and pre-strung stainless-steel cables.

Time Savings

Installs 38% faster than the leading competition* and features patent pending OneTen built-in centralized tensioning control system.

Rust Resistant

Premium powder coating on aluminum framing meets or exceeds AAMA 2604 specifications

**Based on a 12' x 18' deck with 8 posts and 7 panels (Elevation Rail installed 49 minutes faster than competitive cable railing install of 129 minutes).*



OneTen™


Patented OneTen built-in tensioning makes installation a breeze — installs 38% faster than leading cable competitors.

ELEVATION® RAIL

Modern industrial style sets the tone with sleek rails and cable infill that keep sightlines clean and views wide open. Pre-assembled kits install up to 38% faster than the leading competition, with pre-strung cables and adjustable panels spanning up to 8' long—all without special tools or fasteners.

- Sleek on-trend styling with unobstructed views
- Easy to shop with fewer parts to order
- Pre-assembled kits include pre-strung stainless-steel cables
- Premium powder coating on aluminum components for enhanced rust resistance
- Patented OneTen™ built-in centralized system eliminates need to tension cables individually
- Continuous top rail for both level and stair applications
- Premium powder coated aluminum framing meets or exceeds AAMA 2604 specifications
- Pre-installed brackets for installation efficiency
- Deck Top Adapter allows deck boards to be installed as top rails
- Designed to meet national residential (IRC) and commercial (IBC) codes*
**Consult local regulations for specific requirements*
- Transferable Limited Lifetime Warranty on aluminum rails and posts, Limited 10 Year Warranty on cable fittings

Style Configurations



Cable Rail

Top Rail Options



Flat Top



Deck Top Adapter*

*Deck board required and sold separately



Colors



Matte
Black

Sizes

Length

6' & 8' Level

5' Stair

Height

36"

42"

Post Options

End

Mid

Corner

Post Termination

End Stair

Mid Stair

How It Works

1 Install Your Posts

Posts are available as line, 22.5, 45 and 90 degree corners, and end. Posts are prerouted to accept cable infill panels.



2 Install Your Panel

Cable panels come with pre-strung, continuous stainless steel cables that span up to 8' long for level application and 5' long for stair and pre-attached brackets.



3 Centralized Tensioning System

Thread cable through OneTen tensioning system, and hand-pull cable taut.



4 Tension Cable Panel

Using a socket, tighten both sides of the OneTen system to tension the cable panel. Attach the top rail to finish installation.



rdirail.com



AN OLDCASTLE® APG OUTDOOR BRAND